

EAST Search History

Interference

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L13	0	"2000WO-JP06230.ap.prai.j"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/01/26 23:57
L14	1	2000WO-JP06230.ap.prai.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/01/26 23:57
L15	2	EP-1319627-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/01/26 23:58
L17	1732	187/401,406,409,410.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/01/27 00:04
L18	1	("2701032").URPN.	USPAT	OR	ON	2009/01/27 00:18
L19	862	((guid\$3 shoe) near10 ((dispos\$2 position\$3 locat\$3 mount\$3 plac\$3 affix\$3 fasten\$3 secur\$3) and (corner side edge oppos\$3 cham\$1fer\$2 channel fram\$3 recess\$2) and (rop\$3 cable tens\$6 support\$3 hoist\$3 load\$1bearing suspen\$4 load\$1carrying)) and (elevat\$3 lift\$3 hoist\$3)).clm.	US-PGPUB	OR	ON	2009/01/27 01:22
L20	158	19 and ("187".clas. "182".clas. "254".clas. "414".clas.)	US-PGPUB	OR	ON	2009/01/27 01:24
L21	272	187/249.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/01/27 01:32
L22	242	21 not (17 20)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/01/27 01:33
S1	1664	187/401,406,408,409.ccls. and @pd<"20040429"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 16:39

S2	345	S1 and (rail guid\$3 elongat\$3 column shoe roller wheel vertical\$2 rop\$3 cable tens\$6 support\$3 hoist\$3 load \$1bearing load\$1 carrying) near\$8 ((corner distal diagonal \$2 edge oppos\$3 cham\$1fer\$2 recess\$2) and (cab carriage car platform basket cage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 16:43
S3	8	("1907967" "2246732" "3342288").PN. OR ("429640").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/17 16:46
S4	50	US-5547059-\$.DID. OR US-5439075-\$.DID. OR US-5234079-\$.DID. OR US-5944144-\$.DID. OR US-4529062-\$.DID. OR US-20070045053-\$.DID. OR US-5230406-\$.DID. OR US-6085874-\$.DID. OR US-5052523-\$.DID. OR US-5301773-\$.DID. OR US-5310022-\$.DID. OR US-5366044-\$.DID. OR US-5370207-\$.DID. OR US-5503257-\$.DID. OR US-5566784-\$.DID. OR US-5828014-\$.DID. OR US-6012554-\$.DID. OR US-6142260-\$.DID. OR US-6173813-\$.DID. OR US-6247557-\$.DID. OR US-6296080-\$.DID. OR US-6659231-\$.DID. OR US-7014013-\$.DID. OR US-7025177-\$.DID. OR US-20030183459-\$.DID. OR US-20040154870-\$.DID. OR US-20040154875-\$.DID. OR US-20050279588-\$.DID. OR US-20060243538-\$.DID. OR US-20070007083-\$.DID. OR US-20070051563-\$.DID. OR US-4345671-\$.DID. OR US-4600086-\$.DID. OR US-5553686-\$.DID. OR US-5673771-\$.DID. OR US-5690190-\$.DID. OR US-20060231350-\$.DID. OR US-20060260878-\$.DID. OR US-5402861-\$.DID. OR US-6290026-\$.DID. OR US-5524730-\$.DID. OR US-5544721-\$.DID. OR US-5816369-\$.DID. OR US-4431087-\$.DID. OR US-5018602-\$.DID. OR US-5294757-\$.DID. OR US-	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/17 16:48

		5304751-\$.DID. OR US-5308938-\$.DID. OR US-5321217-\$.DID. OR US-5322144-\$.DID.				
S5	1657	B66B007/02.ipc. and @pd<"20040429"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 16:49
S6	146	S5 and (rail guid\$3 elongat\$3 column shoe roller wheel vertical\$2 rop\$3 cable tens\$6 support\$3 hoist\$3 load \$1bearing load\$1carrying) near8 ((corner distal diagonal \$2 edge oppos\$3 cham\$1fer\$2 recess\$2) and (cab carriage car platform basket cage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 16:50
S7	365	S1 and (rail guid\$3 elongat\$3 column shoe roller wheel vertical\$2 rop\$3 cable tens\$6 support\$3 hoist\$3 load \$1bearing load\$1carrying) with ((corner distal diagonal\$2 edge oppos\$3 cham\$1fer\$2 recess \$2) and (cab carriage car platform basket cage) and (wall side panel surface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 16:51
S8	92	S6 not (S2 S3 S4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 16:52
S9	33	S7 not (S2 S3 S4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 16:53
S10	125	S8 S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 16:53
S11	132	S5 and (rail guid\$3 elongat\$3 column shoe roller wheel vertical\$2 rop\$3 cable tens\$6 support\$3 hoist\$3 load \$1bearing load\$1carrying) with ((corner distal diagonal\$2 edge oppos\$3 cham\$1fer\$2 recess \$2) and (cab carriage car platform basket cage) and (wall side panel surface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 16:55
S12	10	S11 not (S2 S3 S4 S8 S9)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 16:57

S13	4084	(B66B011/02.ipc. B66B07/04.ipc.) and @pd<"20040429"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 16:58
S14	163	S13 and (rail guid\$3 elongat\$3 column shoe roller wheel vertical\$2 rop\$3 cable tens\$6 support\$3 hoist\$3 load \$1bearing load\$1carrying) with ((corner distal diagonal\$2 edge oppos\$3 cham\$1fer\$2 recess \$2) and (cab carriage car platform basket cage) and (wall side panel surface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 16:58
S15	121	S14 not (S2 S3 S4 S8 S9 S12)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 17:03
S16	44	(S1 S5 S13) and (suspen\$4 near\$8 ((corner distal diagonal \$2 edge oppos\$3 cham\$1fer\$2 recess\$2) and (cab carriage car platform basket cage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 17:07
S17	4	S16 not (S2 S3 S4 S8 S9 S12 S15)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 17:08
S18	13	((car cab carriage basket cage) and ((wall side face surface) and (guide shoe)) near\$8 (recess \$2 cham\$1fer\$2 diagonal\$2 reduc\$4 corner) and (elevat\$3 lift\$3 hoist\$3)).clm.	US-PGPUB	OR	ON	2008/01/17 17:11
S19	2	JP-10139327-A.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 20:08
S20	222	187/249.cols. and @pd<"20040429"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 20:37
S21	840	187/406,251.cols. and @pd<"20040429"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 20:54

S22	198	S21 and (rail guid\$3 shoe roller wheel rop\$3 cable tens\$6 support\$3 hoist\$3 load \$1bearing suspen\$4 load \$1carrying) near10 ((dispos\$2 position\$3 locat\$3 mount\$3 plac\$3) and (corner side groove edge oppos\$3 cham \$1fer\$2 recess\$2) and (cab carriage car platform basket cage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 20:56
S23	712	187/401.ccls. and @pd<"20040429"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 21:06
S24	123	S23 and (rail guid\$3 shoe roller wheel rop\$3 cable tens\$6 support\$3 hoist\$3 load \$1bearing suspen\$4 load \$1carrying) near10 ((dispos\$2 position\$3 locat\$3 mount\$3 plac\$3) and (corner side groove edge oppos\$3 cham \$1fer\$2 recess\$2) and (cab carriage car platform basket cage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 21:06
S25	115	S24 not S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 21:07
S26	165	S21 and (guid\$3 shoe roller wheel) near10 ((dispos\$2 position\$3 locat\$3 mount\$3 plac\$3 affix\$3 fasten\$3 secur \$3) and (corner side groove edge oppos\$3 cham\$1fer\$2 channel fram\$3 recess\$2) and (rop\$3 cable tens\$6 support\$3 hoist\$3 load\$1bearing suspen \$4 load\$1carrying))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 21:33
S27	35	S26 not (S19 S20 S22 S24 S25)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 21:35
S28	0	JP-50124063-A.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 23:01
S29	0	JP-49035128-A.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 23:02

S30	0	2002WO-JP22486.ap.prai.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/05 15:02
S31	1	2000WO-JP06230.ap.prai.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/05 15:03
S32	1	("2270441").PN.	USPAT	OR	OFF	2008/06/05 16:12

1/27/2009 1:50:40 AM**C:\Documents and Settings\skruer\My Documents\EAST\Workspaces\Search - Elevator Apparatus - 10562054.wsp**